# **SEAT REAR CAMERA KIT**



## **ODIS CODIFICATION**

### **1. START AUTO-DIAGNOSIS**

After plugging the OBD in the vehicle, please start the ODIS program. Then, please click on the Autodiagnosis tab, and click on Start autodiagnosis.

Importador: Concesionario:	Núm	de ident. del vehículo:		🧀 🗧	. 😻 県	
Orden:				<b>1</b>	)	
					Modos	operativos *
					😳 Dia	anosis
	Bienver	nido a la autor	diagnosis			- dia anno si s
	2.0	nuo u lu uutot	alagireele	0		odiagriosis
Decension de la	I.C I.C.				Acti	ualizar con flash
Proceso de c	odification	de las camaras	s con ODIS		🛆 Téo	nica de medición
					😝 Info	rmación
					Adr	nin
					Protoco	lo ×
					Dates	
Corrulta -	an al vahiaula	looida			Vista ad	tual
Conexión c	on el venículo estat	necida			🗊 Imp	
The Encendido	conectado				Sesión	de diagnosis
Iniciar auto	odiagnosis	(2)			🔳 🗷 Sto	
					>>>	
a salida de la eutoríanmosis se ha finalizado						
CT THE CAR N ting Auto-diagnos change to continu	MODEL is, the wind ue the proce	ow showed in ess.	the picture will a	ppear. Ple	ase, selec	t the car mo
CT THE CAR M ting Auto-diagnos change to continu	NODEL is, the wind ue the proce	ow showed in ess.	the picture will a	ppear. Ple	ase, selec	t the car mo
ECT THE CAR M ting Auto-diagnos change to continu	MODEL is, the wind ue the proce	ow showed in ess.	the picture will a	ppear. Ple	ase, selec	t the car mo
CT THE CAR M ting Auto-diagnos change to continu mportator:	MODEL is, the wind ue the proce	ow showed in ess.	the picture will a	ppear. Ple	ase, selec	t the car mo
CONTINUE CAR IN     CONTINUE       CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE      CONTINUE       CONTINUE      CONTINUE      CONTINUE      CON	MODEL is, the wind ue the proce	ow showed in ess.	the picture will an	ppear. Ple	ase, selec	t the car mo
CTTHE CAR M ting Auto-diagnos change to continu  Importador: Concessionato: Conc	MODEL is, the wind ue the proce	ow showed in ess. encenter black det entrodo Identificación del vehículo « VIN	the picture will ap	ppear. Ple	ase, selec	operativos *
ECT THE CAR M ting Auto-diagnos change to continu change to continu underse de contral Autodiagnosis vehículo: Memora de Statorio	MODEL is, the wind ue the proce Name de moderna de incidencias compte	ow showed in pss. recention block det vehiculo Identificación det vehiculo VIN	* Automaticamente • Manuaim	ppear. Ple	ase, selec	t the car mo
ECT THE CAR M ting Auto-diagnos change to continu mportador:	None of the second seco	ow showed in ess.	the picture will a	ppear. Ple	ase, selec	pression of the car model of the car mod
ECT THE CAR M ting Auto-diagnos change to continu importador: – Concesionato: – Unidades de contral Autodiagnosis vehículo: Memoda de Sistema	NODEL is, the wind ue the proce	events and a second sec	the picture will an	ppear. Ple	Modes	apperatives *
ECT THE CAR M ting Auto-diagnos change to continu mortador: – Conceisonato: – Unidades de contro Autodiagnosis vehículo: Memoda d Sistema	MODEL is, the wind ue the proce	eventeritica blaca del vehículo e VIN Fabricante Seat Modelo	the picture will a	ppear. Ple	Asse, select	operativos a prosto and
ECT THE CAR M ting Auto-diagnos o change to continu change to continu mportador: Concessonatic Order: Unidades de contral Material Memoria d Sistema	MODEL is, the wind ue the proce Nome of Motor de incidencias comple	ow showed in psss. Identification of vehiculo Identificación del vehiculo VIN Fabricante Seat Modelo 6F - Aleca 2017 >	* Automaticamente · Manualm	ppear. Ple	ase, selec	aperativos a press carrier con fastr rela de medición rensción
ECT THE CAR M ting Auto-diagnos change to continu concestonatic:	MODEL is, the wind ue the proce Name de procession Name de procesion Name de procession Name de procession N	ow showed in ess.	* Automáticamente	ppear. Ple	ase, selec	aperatives A prosition and are medicial matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching matching
ECT THE CAR M ting Auto-diagnos change to continu importator: Concesionato: Unidades de contral Autodiagnosis vehículo: Memoda de Sistema	NODEL is, the wind ue the proce Nom. de r Motor te indendas compte	events and an event of the second of the sec	the picture will a	ppear. Ple	Asse, select	speratives * pross actor on factor mice de medición model
ECT THE CAR M ting Auto-diagnos change to continu Importator: Concesionato: Unidades de control Validagenosis vehículo: Memodia de Sistema	MODEL is, the wind ue the proce Name of the procession Name of the procession Name of the procession Motor of the indencias complete de indencias complete de indencias complete	eventeritice blacks det welcole identificación det vel·locole identificación det vel·locole VIN Fabricante Seat Modelo SF - Alecca 2017 >- Año de modelos 2017 (H)	* Automaticamente · Manualm	ppear. Ple	Asse, select	operativos a prosto a prosto Prosto a prosto prosto a prosto a prosto a prosto a prosto a prosto a pro
ECT THE CAR M ting Auto-diagnos change to continu unportador:	MODEL is, the wind ue the proce	Anoteio Seat Modelo SF-Anea 2017 > Año de modelos 2017 (f) () () () () () () () () () (	* Automäticamente · Manualm	ppear. Ple	ase, select	operatives a provide comparative set of the car medicine set of the set of th
ECT THE CAR M ting Auto-diagnos change to continu mportator: Concesionato: Uridades de control Autodagnosis vehículo: Sistema	MODEL is, the wind ue the proce Name de procession Name de re- n de comprehension de indencias compre-	anterfetica bisca del vehículo e anterfetica bisca del vehículo e VIN Fabricante Seat Modelo 6F - Areca 2017 > Año de modelos 2017 (+) 300	<ul> <li>the picture will ap</li> <li>Automáticamente • Manualm</li> <li>Automáticamente • Manualm</li> <li>Automáticamente • Manualm</li> <li>Cam</li> </ul>	ppear. Ple	ase, selec	aperativos 4 opositis discontinue anter con facto mación mación trica de medición mación trica de medición mación trica de medición trica de medición
ECT THE CAR M ting Auto-diagnos change to continu Concesionato: Unidades de contral Autodiagnosis vehículo: Sistema	NODEL is, the wind ue the proce	even showed in esses.	<ul> <li>the picture will ap</li> <li>* Automácamente • Manualm</li> <li>2  Automácamente • Manualm </li> </ul>	erte ette ette ette ette ette ette ette	Asse, select	t the car mod
ECT THE CAR M ting Auto-diagnos change to continu Importator: Concessor Unidades de control Validades de control Sistema	MODEL is, the wind ue the proce	ow showed in css.	<ul> <li>Automáticamente · Manualm</li> <li>Automáticamente · Manualm</li> <li>Automáticamente · Manualm</li> <li>Exclusive Cannot in the second se</li></ul>	erte	ase, select	operativos a prosto prosto prosto a prosto a prosto a prosto a prosto a pro
ECT THE CAR M ting Auto-diagnos change to continu Importator: Orden: Unidades de contro Matodiagnosis vehículo: Memoda d Sistema	MODEL is, the wind ue the proce	and the implementación (Listar de	<ul> <li>Automáticamente · Manualm</li> </ul>	ppear. Ple	ase, select	operatives a group of the car model of t
ECT THE CAR M ting Auto-diagnos change to continu Importator: Concesionatio: Unitades de control Materiales de control Materiales de control Materiales de control Materiales de la control Statema Esquema de interconcextón Lista de te Autodagnosis Veneto aco	NODEL is, the wind ue the proce Nom. de n Moor a de indendas comple 1 +	ow showed in personal in personal intervention of the second intervention of the second vin Eabricante Secant Modelo (SF - Aleca 2017 > Año de modelos 2017 (*) () () () () () () () () () () () () ()	<ul> <li>Automáticamente - Manualm</li> </ul>	ppear. Ple	ase, select	aperativos a pressional de medición emericado e medición emericado e enclación e enc

Pag. 2/4

01/05/2019

Version 1 AUDIOLINK®

## **ODIS CODIFICATION**

#### 3. SELECT "5F UNIT- ELECTRONIC INFORMATION"

Please, go to the "Implementation List" tab and, in the list of all control units, please search and select the parameter "005F - Information Electronics". Please go to the top drop-down, select "code" and click on the green arrow button.

Concesionario: Orden:	Motor:				
Unidades de control Resultados Plan de					Modos operativos *
Autodiagnosis vehículo: Memoria de ini	cidencias completa 🔹 📀 Aut	odiagnosis 3. ad demotor: Codific	ar •	0	😵 Diagnosis
Sistema		<u> </u>	SB Incidencia	Actualizar	Autodiagnosis
0042 - Dirección de nodo: 0x4A - E	lectrónica pta. conductor (UDS / IS			ahora	Katualizar con flash
0044 - Dirección de nodo: 0x12 - D	irección asistida			cíclico	Técnica de medición
004B - Dirección de nodo: 0xA9 - N	tódulo multifunción (UDS / ISOTP /			0 s	Ve Información
0052 - Dirección de nodo: 0x4B - E	lectrónica pta. acomp. (UDS / ISOT	P///)			S Admin
005F - Dirección de nodo: 0x73 - E	lectrónica de información 1 (UDS / I	ISOTP / / / ) 🖊 🧰 (	2)		Protocolo *
0076 - Dirección de nodo: 0x0A - A	yuda de aparcamiento		•		Datas
00A5 - Dirección de nodo: 0x4F - S	ensores frontales para sistemas de	asistencia al conductor	<b>D</b>		Vista actual
00CA - Dirección de nodo: 0x84 - L	Inidad de control del techo corredizo				Limprimir
BE09 - Dirección de nodo: 0x09 - C	conexión adicional de bus 9. (:No ha	v datos de vencimiento disponibles!)		•	Sesión de diagnosis
Esquema de interconexión Lista de unida	ides de control Lista de implementa	cion La memoria de incidencia	s Lista de equipamient	0	
Autodiagnosis E Visualización	No Clasificación				> 🛛 🕹
NGE THE PARAM t, please find the con ton column, please a rm the coding	<b>IETER "REAR</b> ntrol unit "[LO] _b select the "activa	<b>VIEW LOW"</b> byte_19_Rear_View ted" parameter, c	w_Low" an lick on the	d activat apply bu	e it. For activatin utton to apply the
NGE THE PARAN t, please find the cori ion column, please irm the coding.	METER "REAR htrol unit "[LO] _b select the "activa Núm. de ident del vehículo: Moto:	VIEW LOW" vyte_19_Rear_Viet ted" parameter, c	w_Low" an lick on the	d activat apply bu	e it. For activatin utton to apply the
NGE THE PARAM t, please find the cori ion column, please irm the coding.	METER "REAR htrol unit "[LO] _b select the "activa select the develoador Motor:	VIEW LOW" vyte_19_Rear_Viet ted" parameter, c	w_Low" an lick on the	d activat apply bu	e it. For activatin utton to apply the
NGE THE PARAM t, please find the colion column, please intermediate the coling.	METER "REAR htrol unit "[LO] _b select the "activa select the "activa	VIEW LOW" yte_19_Rear_Viet ted" parameter, c	w_Low" an lick on the	d activat apply bu	e it. For activatin utton to apply the Modes operatives *
NGE THE PARAM t, please find the coli ion column, please irm the coding. Importator: Concentionator Concentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentionator Contentio Contentionator Contentio Contentionator	METER "REAR httpl unit "[LO] _b select the "activa Núm. de ident. del vehículo: Motor	VIEW LOW" byte_19_Rear_Viet ted" parameter, c	w_Low" an lick on the	d activat apply bu	e it. For activatin utton to apply the Modes operatives *
NGE THE PARAM t, please find the coli ion column, please is rm the coding. Importador: – Concestonaria: – Order: – Unidade de contrel Resultados 0056F - Electrónica de intermación 1 (UD) 10 del sistema MUS-ER-	METER "REAR httpl unit "[LO] _b select the "activa Note: Computer of the select del vehículor Moto: S/ISOTP / 5GA035824A/0359 / H	VIEW LOW" byte_19_Rear_Viet ted" parameter, c        	w_Low" an lick on the	d activat apply bu	e it. For activatin utton to apply the begins Autodagnosis Autodagnosis
NGE THE PARAM t, please find the cot ion column, please : rm the coding. Importator: - Concesionario: - Unidades de control Resultados UD del sides de información 1 (UD: ID del sides de control Resultados MUS-ER Nontre de parámetro [10,0,1b/e,19,10,20, Book	METER "REAR httpl unit "[LO] _b select the "activa Nation: Comproductories 5/ISOTP/5GA035824A/0359/H Valor actual Valor actual In IVOLnot.displayed	VIEW LOW" byte_19_Rear_Viet ted" parameter, c	w_Low" an lick on the	d activat apply bu	e it. For activatin tton to apply the Modes operatives Dependent Autodiagnosis Control of the second second Autodiagnosis
NGE THE PARAM t, please find the cori ion column, please in the coding.	METER "REAR httpl unit "[LO] _b select the "activa Motor comproductores 5 /ISOTP / SQA036824A / 0369 / H Valor actual In [VO_Inot,displayed [VO_Left_displayed [VO_Left_displayed	VIEW LOW" pyte_19_Rear_Viet ted" parameter, c 	w_Low" an lick on the	d activat apply bu	e it. For activatin tton to apply the boots operatives Autodaproces Autodaproces Técnica de medición Fricunadio
NGE THE PARAM t, please find the con- tion column, please in the coding.	METER "REAR httpl unit "[LO] _b select the "activa Núm. de ident. del vehiculor Motor: Comprehenciones 5/ISOTP / 5GA035824A / 0369 / H Vol_not_displayed Vol_not_displayed Vol_det_hand_drive I Vol_het_hand_drive	VIEW LOW" tyte_19_Rear_Viet ted" parameter, c          -	w_Low" an lick on the	d activat apply bu	e it. For activatin ttton to apply the
NGE THE PARAM t, please find the con- ion column, please rm the coding. Importator: 	AETER "REAR httpl unit "[LO] _b select the "activa Núm. de ident. del vehículo: Motor: Comproductores 5 / ISOTP / SQAQ35824A / 0359 / H Valor actual INO_noc.displayed [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphared [VO]_net_idaphare	VIEW LOW" tyte_19_Rear_Viet ted" parameter, c 	w_Low" an lick on the	d activat apply bu	e it. For activatin tton to apply the Correct of the second secon
Ingertador: 	AETER "REAR httpl unit "[LO] _b select the "activa Motor: Corportations 5/ISOTP /SGA035824A / 0359 /H Valor actual IN (VO]_not_displayed (VO]_not_displayed (VO]_not_displayed (VO]_not_displayed off	VIEW LOW" tyte_19_Rear_Viet ted" parameter, c  30/EV_MUSHBC1TSAT/001016) reducción twodo (1)	w_Low" an lick on the	d activat apply bu	Modos operativos *  Modos operativos *  Autodiagnosis  Autodiagnosis  Modos operativos *  Modos operativos
NGE THE PARAM t, please find the cori ion column, please rm the coding. Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Concestonato: Conce	AETER "REAR httpl unit "[LO] _b select the "activa Núm. de ident. del vehículo: Motor: Valor actual (VO]_not_displayed (VO]_eft_hand_drive (VO]_eft_hand_drive (VO]_eft_hand_drive (VO]_eft_hand_drive (VO]_sel_plopd	VIEW LOW" tyte_19_Rear_Viet ted" parameter, c 	w_Low" an lick on the	d activat apply bu	Modos operativos a Dogosti Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnosts Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodiagnost Autodia
NGE THE PARAM t, please find the cori ion column, please - irm the coding. Importator: - Concestonato: - Orden: - Unidates de contral Resultados COSF-Electónica de información 1 (UD 10 del sistema MUS-EL Nontre de parámetro [LO]_byte_19_Log_Book [LO]_byte_19_Log_Book [LO]_byte_19_Resr_Vew_Low [LO]_byte_19_Most [LO]_byte_19_USB	AETER "REAR httpl unit "[LO] _b select the "activa Num. de ident. del vehículo: Moto: Valor actual (VO]_not_displayed (VO]_uet_hand_drive no actuad off (VO]_usb_jeod	tvado (1)	w_Low" an lick on the	d activat apply bu	e it. For activatin tton to apply the boot of apply the boot of apply the boot of ap
NGE THE PARAM t, please find the cori ion column, please is irm the coding. Impotator: Concestonaria: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content: Content:	AETER "REAR httpl unit "[LO] _b select the "activa Note: Comproductories S/ISOTP / SGA035824A / 0369 / H Valor actival (VO]_not_displayed (VO]_not_displayed (VO]_lot_displayed (VO]_lot_displayed (VO]_lot_displayed (VO]_lot_band_drive no activada activation (VO]_usb_lpod	VIEW LOW" tyte_19_Rear_Viet ted" parameter, c          -	w_Low" an lick on the	d activat apply bu	e it. For activatin ttton to apply the biotestore a
NGE THE PARAM t, please find the cori ion column, please is irm the coding. Importador: Conesionaria: Orden: Unidades de correl Resultado 005F - Extériólica de internación 1 (UD 10 del sistemática de internación 1 (UD 10	AETER "REAR httpl unit "[LO] _b select the "activa Note: Comproductores S/ISOTP / SGA035824A / 0369 /H Valor actual [VO]_rot_displayed [VO]_rot_displayed [VO]_rot_displayed [VO]_left_hand_drive n activada ac off [VO]_usb_lpod a	VIEW LOW" tyte_19_Rear_Vient ted" parameter, c  30 / EV_MUSHBC1TSAT / 001016) troduccón twoduccón	w_Low" an lick on the	d activat apply bu	e it. For activatin ttton to apply the boots operatives a boots operatives a boots approximation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activation activativation activativativativativativativativativativa
NGE THE PARAM t, please find the con- ion column, please in rm the coding. Importation:	AETER "REAR httpl unit "[LO] _b select the "activa Nim. de ident. del vehiculo: Motor: Comparidaciones 5/ ISOTP / SGAQ38824A / 0369 / H Vol_anc_dsplayed in roo activada in Vol_onc_dsplayed in roo activada ac of Vol_ubu_band_drive in too activada ac	VIEW LOW" tyte_19_Rear_Vient ted" parameter, c   30 / EV_MUSHBC1TSAT / 001015) troduccón	w_Low" an lick on the	d activat apply bu as • • •	e it. For activatin ttton to apply the bodos operativos * Copyrise Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Stopping Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Stopping Stopping Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnosis Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actordagnos Actord

Pag. 3/4

01/05/2019

Version 1 AUDIOLINK®

## (ANNEX) With OEM Parking Sensors

The next steps must be carried out only if the vehicle has been equipped with OEM parking sensors and, with the previous ODIS codification, the rear camera is still not displayed on the screen.

#### 5. SELECT "PARKING ASSISTANT / PARKING SENSORS"

Please return to the list of control units and find the parking sensors control unit, with diagnostic address "0010" or "0076" (depending on the vehicle). Please select the unit and, in the top drop-down, please select "code" and click the green arrow button.

Concesionari Orden:	o:		Motor:		<b>***</b> ••		
Jnidades de	control Result					Modos operativos	*
Autodiagnos	is vehículo:	fomorio do incidencios a				🚱 Diagnosis	
Lista de unid	ades de contro	(39 registros)	completa ·	Codifical		🍅 Autodiagnosis	
Dirección	Incidencia	Nombre			*	Actualizar con fia	
00A5	0	Sensores frontales p	para sistemas de asistencia al condu	luctor (aún no se ha identificado) (	)	🖎 Técnica de med	kión
0006	0	Regulación del asier	nto, lado del acompañante (aún no :	se ha identificado) ()		lnformación	
0016	0	Sistema electrónico	de la columna de dirección (aún no	se ha identificado) ()		Admin	
0036	0	Regulación del asier	nto del lado del conductor (aún no s	se ha identificado) ()	E		
0076	0	Ayuda de aparcamie	ento (aún no se ha identificado) (	) 🛑 (2)		Protocolo	×
00D6	0	Mando de la luz izqu	ilerda 2 (aún no se ha identificado) (	()		Datos	*
0017	0	Cuadro de instrumer	ntos (aún no se ha identificado) (	)		Vista actual	
0047	0	Sistema de sonido (a	aún no se ha identificado) (	)		Imprimir	
Esquema de	interconexión	Lista de unidades de co		ta de memorias de incidencias Lis	* ta de equipamiento	Sesión de diagnosis	
Autodiag	nosis 🔳 Visu	ualización 💐 Clasifi	caclón			>	0

#### 6. CHANGE THE PARAMETER "CAMERA TYPE"

01/05/2019

In the same list, please find the parameter called "Camera type" or "Control unit of the reversing camera system" and change its status to "Reversing camera" or "Mounted". To save the changes, please click on "apply" and confirm the coding.

Importador: Concesionario: Orden:	Núm. de ident. d Motor:	el vehículo:			🦺 🃎 4)		
Unidades de control Resultados Plan o						Modos operativos	*
0076 Aunda da aparemiante (LIDC /	100TD (5000100000 (0056 /	10 (E) ( EDI NA14AU 2700	000 (000000) Mo	moria de incidencias	. 0	😵 Diagnosis	
Data data de aparcamiento (UDS/	1301 F / 5Q0919283G / 0056 / 1	107EV_EFHVA14A03700	0007002024) Me	nona de induencias		🍅 Autodiagnosis	
ID del sistema PARCHILFE 4K						🐗 Actualizar con fla	sh
Nombre de parametro Indicador óptico de la avuda de apa	valor actual	Introduccion				🛆 Técnica de medi	ión
BAP	activado					😭 Información	
Tipo de cámara	Sin montar	Cámara de marcha atrás	4 (1	)		Admin	
Remoloue	ein dienoeitwo de remoloue	Gumara de Marcha allas		/			
Asistante de desanarcamiento	Sin montar					Protocolo	¥
Información cobre la codificación	codificado					Datos	\$
mometon sobre la codificación	Counceur					Vista actual	
Filtro:						Sesión de diagnosis	
Aplicar Codificació	ón binarla					Stop	
0076 - COD					×	>	3
EV_EPHVA14AU3700000 / 002025							

Pag. 4/4

Version 1 AUDIOLINK®